

Carcinomas of the Major Salivary Glands Proforma

Includes the  International Collaboration on Cancer reporting dataset denoted by *



Family name

Given name(s)

Date of birth

Patient identifiers

e.g. MRN, IHI or NHI (please indicate which)

Date of request

S1.03 Accession number

Requesting doctor - name and contact details

Sex

- Male
 Female
 Intersex/indeterminate

Ethnicity

- Unknown
 Aboriginal/Torres Strait Islander (AU)
 Māori (NZ)
 Other ethnicity:

Clinical information

Clinical history

Clinical TNM stage

Clinical diagnosis or differential diagnosis

New primary cancer or recurrence

- Recurrence - regional (local) New primary
 Recurrence - distant metastasis, *specify*

Pre-operative or prior radiotherapy

- None administered New primary
 Administered, *specify details*

Any involvement of adjacent structures

G1.01 Copy To Doctor

S1.04 Principal clinician

G1.02 OTHER CLINICAL INFORMATION RECEIVED

Macroscopic findings

S2.01 SPECIMEN LABELLED AS

S1.02/ S2.01 * OPERATIVE PROCEDURE

Biopsy (excisional, incisional), *specify*

Resection, *specify*

Neck (lymph node) dissection*, *specify*

Other, *specify*

* If a *neck dissection* is submitted, then a separate dataset is used to record the information.

S2.03 * SPECIMENS SUBMITTED (select all that apply)

- Not specified
- Parotid gland
 - Superficial lobe only
 - Deep lobe only
 - Total parotid (superficial and deep lobe)
- Submandibular gland
- Sublingual gland
- Other (e.g. partial gland excision), specify

G2.01 SPECIMEN INTEGRITY

- Intact
- Fragmented

S2.04 SPECIMEN RECEIVED

- Fresh
- Formalin

S2.04 SPECIMEN MEASUREMENTS

length mm x width mm x thickness mm

S2.06 * MACROSCOPIC TUMOUR SITE(S)

(select all that apply)

- Cannot be assessed
- Parotid gland
 - Left Right Laterality not specified
 - Superficial lobe only
 - Left Right Laterality not specified
 - Deep lobe only
 - Left Right Laterality not specified
 - Total parotid (superficial and deep lobe)
 - Left Right Laterality not specified
- Submandibular gland
 - Left Right Laterality not specified
- Sublingual gland
 - Left Right Laterality not specified
- Other, specify including laterality

S2.07 * TUMOUR FOCALITY

- Unifocal
- Multifocal

Specify number of tumours in specimen

- Cannot be assessed, specify

S2.08 MAXIMUM DIMENSION OF LARGEST TUMOUR

Maximum tumour dimension (largest tumour)

mm

- Cannot be assessed, specify

G2.02 * Additional dimensions (largest tumour)

mm x mm

S2.09 MACROSCOPIC EVIDENCE OF EXTRAPARENCHYMAL EXTENSION

- Absent
- Present

S2.10 BLOCK IDENTIFICATION KEY

G2.03 OTHER MACROSCOPIC COMMENTS

Microscopic findings

S3.01 * HISTOLOGICAL TUMOUR TYPE (select all that apply)
(Value list from the World Health Organization Classification of Head and Neck Tumours (2017))

- Acinic cell carcinoma
- Secretory carcinoma
- Mucoepidermoid carcinoma
 - Low grade Intermediate grade
 - High grade
- Adenoid cystic carcinoma
 - Tubular/cribriform pattern predominant
 - % of solid component, if any %
 - Solid pattern
 - % of solid component, if any %
- Polymorphous adenocarcinoma
 - Classic Cribriform

Grade, specify

- Epithelial-myoepithelial carcinoma
- (Hyalinizing) Clear cell carcinoma
- Basal cell adenocarcinoma
- Sebaceous adenocarcinoma
- Myoepithelial carcinoma
- Intraductal carcinoma
 - Low grade High grade
- Cystadenocarcinoma
 - Low grade High grade
- Adenocarcinoma, not otherwise specified (NOS)
 - Low grade Intermediate grade High grade

Salivary duct carcinoma
Variant(s), specify

Carcinoma ex pleomorphic adenoma
Tumour type(s), specify

Intracapsular Minimally invasive
 Widely invasive
Distance from capsule mm

Carcinosarcoma
 Poorly differentiated carcinoma: Neuroendocrine and non-neuroendocrine
 Undifferentiated carcinoma
 Large cell neuroendocrine carcinoma
 Small cell neuroendocrine carcinoma

Lymphoepithelial carcinoma
 Squamous cell carcinoma
 Oncocytic carcinoma
 Other, specify

Cannot be assessed, specify

S3.02 * HISTOLOGICAL TUMOUR GRADE

Not applicable
 High grade transformation
 Cannot be assessed, specify

S3.03 MICROSCOPIC TUMOUR SIZE

length mm x width mm x thickness mm

S3.04 * EXTENT OF INVASION (select all that apply)

Not identified
 Macroscopic extraparenchymal extension
 Bone
 Skin
 Facial nerve
 Other, specify

Cannot be assessed, specify

S3.05 * PERINEURAL INVASION

Not identified Present
↓
G2.01 * Nerve size, if known mm

Location
 Intratumoural Extratumoural
Degree of extent
 Focal Extensive

Cannot be assessed, specify

S3.06 * LYMPHOVASCULAR INVASION

Not identified Present
 Cannot be assessed, specify

S3.07 * MARGIN STATUS

Involved by carcinoma
Specify margin(s), if possible

Not involved by carcinoma
Distance of tumour from closest margin mm
 Distance not assessable
Specify closest margin, if possible

Cannot be assessed, specify

G3.02 * COEXISTENT PATHOLOGY (select all that apply)

None identified
 Sialadenitis
 Tumour associated lymphoid proliferation (TALP)
 Benign tumour(s), specify

Other, specify

G3.03 OTHER MICROSCOPIC COMMENTS

Ancillary findings

G4.01 *ANCILLARY STUDIES

- Not performed
 Performed, *specify*

Synthesis and overview

S5.01 *PATHOLOGICAL STAGING (TNM 8th Ed)##

TNM Descriptors (only if applicable) (select all that apply)

- m - multiple primary tumours
 r - recurrent
 y - post-therapy

Primary tumour (pT)**

- TX Primary tumour cannot be assessed
 T0 No evidence of primary tumour
 Tis Carcinoma in situ
 T1 Tumour 2 cm or smaller in greatest dimension without extraparenchymal extension^
 T2 Tumour larger than 2 cm but not larger than 4 cm in greatest dimension without extraparenchymal extension^
 T3 Tumour larger than 4 cm and/or tumour having extraparenchymal extension^
 T4 Moderately advanced or very advanced disease
T4a Moderately advanced disease
Tumour invades skin, mandible, ear canal, and/or facial nerve
 T4b Very advanced disease
Tumour invades skull base and/or pterygoid plates, and/or encases carotid artery

^ *Extraparenchymal extension is clinical or macroscopic evidence of invasion of soft tissues or nerve, except those listed under T4a and T4b. Microscopic evidence alone does not constitute extraparenchymal extension for classification purposes.*

** *Note that the results of [lymph node/neck dissection](#) are derived from a separate dataset.*

Used with permission of the American College of Surgeons, Chicago, Illinois. The original source for this information is the AJCC Cancer Staging Manual, Eighth Edition (2016) published by Springer Science+Business Media

S5.02 Year of publication and edition of cancer staging system

--

G5.01 Diagnostic summary

Include: Type of operation (S1.02/S2.02); Anatomical site / laterality; Tumour dimensions (S2.08); Extraglandular extension of tumour (S2.09); Tumour type (S3.01); Histological grade (S3.02); Perineural invasion (S3.05); Lymphovascular invasion (S3.06); Involved or close margins with measurements (S3.07); Tumour stage (S5.01 & S5.02).

S5.03 Overarching comment

G5.02 Carcinomas of the Major Salivary Glands Structured Reporting Protocol (2nd Edition 2019).